COD INVESTIGATION

About thirty-five million pounds of cod are landed in the United States each year, with a total value of about two and one-quarter million dollars. These fish are taken with various gears, but mostly otter trawls. A considerable amount is taken by large otter trawlers based at Boston and engaged mainly in the haddock fishery. Besides being an important incidental catch for these vessels, the cod serves as a buffer in times of low haddock abundance.

There appears to be at the present time a marked increase in abundance of cod associated with a decrease in haddock. There is some indication that management of this fishery by the mesh regulation now in force is having beneficial effects in protecting the strong year classes entering the fishery.

The responsibility of the Woods Hole Biological Laboratory for cod research is broader, however, than local considerations imply. Because of its commitment to the International Commission for the Northwest Atlantic Fisheries (whose member nations take about two billion pounds of cod from the Convention Area each year), the United States is doing research in support of the Commission's program for maximum sustained yield from the Northwest Atlantic cod fishery. The Woods Hole Biological Laboratory is in a position to make unique contributions to cod biology, being situated as it is close to the fastest-growing and perhaps; most widely fluctuating stocks of cod in the Atlantic. Studies of these stocks promise to yield much valuable information about the general biology and ecology of the species, which will be applicable to the whole ICNAF area.

SUMMARY C ROL SCHEDULE

Investination: Cod Biological Laboratory: Woods Hole, Mass.

		Est *			Fiscal	Vegne			Ī
	Project Title	Cost	57 58	29 69	19	. —	79	65	99
1. Bibliography		29.0	8.08.0	8.0 5.0		'	 -		
2. Age and growth	Age and growth of Cod from Cape Sable to Hatteras	14.6	L I	1-1	9.7	-	-	•	1
3. Migrations of co	Migrations of cod in the area from Cape Sable to Cape Hatteras		8.09.5	8.0 5.0	5.0	5.0 9.0	0.6	•	T i
١	Definition of cod stocks from Cape Sable to Cape Batteras	66.8	8.08.5		0•9			0.0	1
. !	le Atlantic Cod	66.7	8.0 9.1		ر • 0	П	\vdash	1	T.
	Parasites of cod from Cape Sable to Cape Hatteras	81.1	7.7 9.11	6.0 11.0	6.0		-	_	C
	studies of cod tissues	61.0	1	6.0 4.0	7.0		-		0
	Distribution of pre-recruit cod in the area fr Cape Sable to		1		5.7		-		0
9. Fluctuations in year class	year class	29.1	1	1		1	-		C
	s in abundance	23.8	1	l I			-	8.8	5
						-			
							_		Ī
							 		Ī
						ļ	_	_	T
	Investigation Total	1,85,8	39.7 Lli 8112.3		30.9 36.7 40.1 52.2	1 52 %	59.3	68.8	C
								Date	
Laboratory	Regional or area Office Vashington Office	fice	Prepared by:	1	John P. Wise	e	• ω	8/9/29	
			Recommented	,a				Drte	
			Lab. Di	rector]	Lab. Director Herbert W.	Graham		8/6/59	
			Reg. or	Arca Di	Dir. Jose		3	a.	
			Branch Chief		1 1	343	13.2	24.59	
			Approved	b ₇ .	W.	17	1.1	: y	ſ
					Divisioń Ch	Chief for	r Director	ctor	
		1		***************************************					7
									-

check langed projects. Motal needed by Laboratory for Project in theusands of dollars.

4714 1/9/59

Sheet No. 1

Location: Woods Hole, Mass. Date: August 6, 1959
File No.

Research Project Outline

Title of Project: C	od Bibliograph	ny Project		
Investigation Title	: Cod Investig	gation		,
Investigation Chief	John P. Wi	ise		
Project Loader:		Fishery Research Biologist,	GS-11	
	Non.e	$Titl\epsilon$	Grade	
Assistants: (Title H. E. Murra	and Grade) y, Statistical (Clerk, GS-5		

Collaborators:

Librarian, Marine Biological Laboratory, Woods Hole

Need for Information: There is a great deal of information in the scientific and technical literature of the world concerning the biology of the Atlantic cod, Gadus morhua L. Some of this is contained in the standard fishery journals, but a considerable body of data is scattered throughout other journals primarily concerned with embryology, biochemistry, etc. For the efficient prosecution of research on the cod it is necessary to seek out and to arrange this information in a systematic fashion.

Objective: To assemble an indexed bibliography to the literature of the cod.

Method of Procedure: Standard techniques of library search, including assessment of bibliographies contained in all available papers. Interlibrary loans Phase 1: where needed. Abstracting of all pertinent papers to punch cards, which are coded for author, date of publication, geographic area, and subjects.

File No.:

Method of Procedure: (Contid)

Phase 3:

Estimated Costs: Total	Needed by Laborator	ry for Complete Project	29.0
	FY <u>1959</u>	FY <u>1960</u>	FY 1961
Personal Services Other Expenses:	1.2	1.8	
Within Project	<u>. </u>	•1	Other States
Lab. Adm. & Ser.	6.7	3.1	
Lab. Total	8.0	5. 0	600 Fee
Regional Office Washington Office	.08	.05	
Total			
Recommended Source of Fu . Estimated Date of Comple	(S-)	gular K, Regular, Contributed, Phase 2 FY ; Phase 3 F	
Recommended by: Originator John P.	Wise		Date 8/6/59
Investigation Chief	John P. Wise		8/6/59
Laboratory Director			8/6/59
Regional Director	Jack & Pus	nicher	8/19/59
Branch Chief	WHE.		12-24-57
Approved by: Division Chief for Dir	ector_fish		1026

Remarks

Sheet No. 1

Location: Woods Hole, Mass. Date: August 6, 1959
File No.

Research Project Outline

Title of Project: Age	and Growth of Co	d from Cape Sable to Cap	oe Hatteras
Investigation Title: Co	od Investigation		
Investigation Chief:I	ohn P. Wise	Militaria de Maria de Maria de Carta d	
Project Leader: John		y Research Biologist,	GS-11
: Assistants: (Title and		11016	Gr ade
H. E. Murray, S Vacant, Fishery	Statistical Clerk, Research Biologi	GS-5 st, GS-7 (commencing F FY 1958 and others as as	Y 1961) ssigned)
Collaborators:			

None

Need for Information: One of the primary population parameters needed for assessment and management of a fishery is the growth rate, together with information about variations in this growth rate from year to year, from season to season, and from place to place.

Objective: To assess the growth rate of the cod in the area of study and to measure variations in this rate.

Method of Procedure: Collection of hard parts of the cod (scales, otoliths, bones, etc.) and evaluation of these as indicators of annual growth.

Phase 1: Comparison of annual rings in the parts chosen with the measured growth of the animal from which they came. Back-calculation of previous growth if indicated. Calculation of growth from measurements of tagged and recaptured fish.

File No.:

Mothod of Procedure: (Cont'd)

Phase 3:

Estimated Costs: Total	l Needed by Laborato	ry for Complete Project	14.6
	FY <u>1959</u>	FY <u>1960</u>	FY <u>1961</u>
Personal Services Other Expenses:	1.3	2.0	
Within Project		2	3
Lab. Adm. & Ser.	•9	1.1	1.2
Lab. Total	2.3	3.3	1:0
Regional Office Washington Office	023	033	04
Total			
Recommended Source of From	(S-	K, Regular, Contributed,	
Recommended by: Originator John P.	. Wise		Date 8/6 <mark>/59</mark>
Investigation Chief	John P. Wise		8/6/59
Laboratory Director	Herbert W. Graham		8/6/59
Regional Director	Joseph G. Pur	inhar	8/19/59
Branch Chief Approved by:	V HHE.		12-24-19
Division Chief for Dir	rector fireH	·	1-26

Remarks

Sheet No. 1

Location: Woods Hole, Mass. Date: August 6, 1959
File No.

Research Project Outline

Title of Project: Migrations of cod in the area	from Cape Sable to Cape Hatteras
Investigation Title: Cod Investigation	
Investigation Chief: John P. Wise	
Project Leader: John P. Wise, Fishery Rese	
Assistants: (Title and Grade) H. E. Murray, Statistical Clerk, GS-5 Vacant, Fishery Research Biologist, GS-	7 (commencing FY 1961)
Collaborators: None	
Need for Information: The cod is known to be one demersal fishes of the area. Its migrations appreceding condition, season of year, and other utions have strong effects on the identity of popul gears, etc.	pear to be related to size,

Objective: To assess and evaluate the migrations of cod in the area and to relate these movements where possible to the environment and biology of the fish.

Method of Procedure: Tagging of fish at strategically located areas. Collection and assessment of information about time and place of recapture. Phase 1: Deductive reasoning from other information about morphometrics and meristics, abundance and distribution.

File No.:

Mothod of Procedure: (Cont'd)

Phase 3:

Estimated Costs: Total	l Needed by Laborato	ory for Complete Projec	t <u>58•5</u>
	FY <u>1959</u>	FY <u>1960</u>	FY 1961
Personal Services Other Expenses:	1.5	2.0	2.5
Within Project	3	2	3
Lab. Adm. & Ser.	6.2	2.8	2.2
Lab. Total	8.0	5.0	5.0
Regional Office Washington Office	.08	.05	.05
Total			the standard of the standard o
Recommended Source of Front . Estimated Date of Comple	(S-	nd Regular K, Regular, Contribute ; Phase 2 FY ; Phase 3	•
Recommended by: Originator John P.	Wise		<u>Date</u> 8/6/59
Investigation Chief	John P. Wise		8/6/59
Laboratory Director	Herbert W. Graha	N .	8/6/59
Regional Director	Joseph F. V	Lucietter	8/19/59
Branch Chief	1 UH	٤.	12-24-59
Approved by: Division Chief for Dir	rector flict	<u> </u>	1-26

Remarks

Sheet No. 1

None

Location: Woods Hole, Mass. Date: August 6, 1959
File No.

Research Project Outline

Title of Project: Definition of cod stocks from Cape Sable to Cape Hatteras
Investigation Title: Cod Investigation
Investigation Chief: John P. Wise
Project Leader: John P. Wise, Fishery Research Biologist, GS-11 Name Title Grade
Assistants: (Title and Grade) H. E. Murray, Statistical Clerk, GS-5 Vacant, Fishery Research Biologist, GS-7 (commencing FY 1961) Vacant, Student Assistant, GS-4 (FY 1957 and others as assigned) Cellaborators:

Need for Information: Assessment and management of a fished population requires that the stocks of fish comprising the population be identified in order that different growth rates, mortality rates, fecundities, etc., may be accounted for.

Objective: To determine the number of cod stocks in the area, their differential distribution and abundance, and the varying population parameters in the stocks.

Method of Procedure: Standard techniques of tagging in conjunction with migrations project. Collection of length-frequency data, morphometrics and Phase 1: meristics; application of techniques of chromatography and serology as appropriate. Assessment and rigorous statistical testing of these data to determine the different stocks and their intermixture if any.

File No.:

Mothod of Procedure: (Cont'd)

Phase 3:

Estimated Costs: Total	Needed by Labor	atory for Complete Project	66.8
	FY <u>1959</u>	FY <u>1960</u>	FY_1961_
Personal Services Other Expenses:	1.8	3.0	2.0
Within Project	<u></u>		2
Lab. Adm. & Ser.	3.8	1.9	3.8
Lab. Total	6.0	5.3	6.0
Regional Office Washington Office	•06	053	•06
Total	·		
Recommended Source of Fur		-K and Regular (S-K, Regular, Contributed	, etc.)
Estimated Date of Complet	tion: Phase 1 FY	Phase 2 FY; Phase 3	FY Project FY65
Recommended by: Originator John P.	Wise		Date 8/6 /59
Investigation Chief Jo	ohn P. Wise	·	8/6/59
Laboratory Director H	rbert W. Graham		8/6/59
Regional Director	Joseph F P	mercher	8/19/59
Branch Chief_	1 2448	,	12-24-59
Approved by: Division Chief for Dire	ector Mu	4	1-2-60

Remarks

Sheet No. 1

Location: Woods Hole, Mass. Date: August 6, 1959
File No.

Research Project Outline

Title of Project: Biology of the Mi	iddle Atlantic Cod	
Investigation Title: Cod Investiga	ation	
Investigation Chief: John P. Wis	e	
Project Leader: John P. Wise, Name	Fishery Research Bio Title	ologist, GS-11 Grade
Assistants: (Title and Grade)		
H. E. Murray, Statistical C. Vacant, Fishery Research B		encing FY 1961)

Collaborators:

None

Need for Information: The Middle Atlantic cod inhabit mainly the New York and New Jersey coasts in winter, and the Southern New England area in summer, spending most of the other two seasons of the year in the transition. While this stock is not in itself important to the fishery, it is of marked biological interest since it represents the southernmost indigenous stock of a species distributed to the Arctic. A study of the biology of this stock should lead to considerable increase in information about the life history and ecology of the species generally, since in such an area the ecological "edge effects" may be studied and measured.

Objective: To learn as much as possible about the biology of the Middle Atlantic cod, particularly as they are related to their environment.

Method of Procedure: Standard methods of fishery biology, supplemented by special studies of the environment and relations of the environment to the fish. Phase 1:

File No.:

Method of Procedure: (Cent'd)

Phase 3:

Estimated Costs: Total	l Needed by Laborat	cory for Complete Preject	66.7
	FY 1959	FY <u>1960</u>	FY <u>1961</u>
Personal Services Other Expenses:	1.5	1.0	2.0
Within Project	2	2	.2
Lab. Adm. & Ser.	4.3	3.1	3.8
Lab. Total	6.0	4.3	6.0
Regional Office Washington Office	.06	.043	.06
Total			
Recommended Source of Fu		d Regular -K, Regular, Contributed	, ∈tc.)
Estimated Date of Comple	etion: Phase 1 FY	Phase 2 FY; Phase 3	FY ;Project IY 66
Recommended by:			Date
Originator John P.	Wise		8/6/59
Investigation Chief J	ohn P. Wise		8/6/59
Laboratory Director F	Erbert W. Graham		8/6/59
Regional Director			8/19/59
	ect Should	be re-examined	a restricting
Approved by: V / Division Chief for Dir	ector	in people. H	HE. 12-24-59.

Remarks

Sheet No. 1

Location: Woods Hole, Mass. Date: August 6, 1959 File No.

Research Project Outline

Title of Project: Parasites of cod from Cape Sable to Cape Hatteras	3
Investigation Title: Cod Investigation	
Investigation Chief: John P. Wise	
Project Leader: John P. Wise, Fishery Research Biologist, GS-1	1 Pade
Assistants: (Title and Grade)	
H. E. Murray, Statistical Clerk, GS-5 Vacant, Student Assistant, GS-4 (FY 1958 and others as assign	ned)

Collaborators:

None

Need for Information: The parasites of cod are useful in furnishing information about the identity of stocks, particularly since previous investigation of one of these parasites in some detail has shown that the incidence of its occurrence is closely related to the different stocks of fish. In addition, there are some technological problems connected with cod parasites, particularly since some of the parasites render the fillets unmarketable, or at least less desirable commercially.

Objective: To assess the numbers and kinds of parasites to be found in and on cod in the area, and to relate this information where possible to the life history and biology of the fish.

Method of Procedure: A general parasite inventory, with special studies of various specific parasites when these are indicated, using standard techniques of examination of market samples and specially collected samples.

Method of Procedure: (Cont'd)

Phase 3:

Estimated Casts: Total	. Needed by Laborat	tory for Complete Projec	et <u>81.1</u>
	FY <u>1959</u>	FY <u>1960</u>	FY 1961
Personal Services Other Expenses:	1.2	1.0	2.0
Within Project	1		.1
Lab. Adm. & Ser.	4.7	2.9	2.9
Lab. Total	6.0	4.0	6.0
Regional Office Washington Office	.06	.04	•06
Total			
Recommended Source of Fu	(5	-K, Regular, Contribute	•
Recommended by: Originator John P.			8/6/59 <u>Date</u>
Investigation Chief	John P. Wise		8/6/59
Laboratory Director	Herbert W. Graha	m.	8/6/59
Regional Director	Joseph & Pr	minter	8/19/59
Branch Chief	NHE		12-24-59
Approved by: Division Chief for Dire	ector flis	+1	1-2 60

Remarks

Sheet No. 1

Location: Woods Hole, Mass. Date: August 6, 1959
File No.

1

Research Project Outline

Title of Project: Chromatography Studies of Cod Tissues	
Investigation Title: Cod Investigation	
Investigation Chief: John P. Wise	
Project Leader: John P. Wise, Fishery Research Biologist,	GS-11 Grade
Assistants: (Title and Grade) H. E. Murray, Statistical Clerk, GS-5	Grade

Collaborators:

University Biochemistry Department and/or BCF chemists.

Need for Information: Preliminary explorations of techniques, primarily by European and West Coast workers, have shown that paper chromatography, principally of muscle tissue, can be used to identify groups of fishes. Some difficulties have been encountered, particularly with regard to state of preservation of the muscle tissues and with regard to seasonal variation in the metabolism of the subject. This technique would be particularly useful in the study of cod populations and would, if pursued far enough, yield information on the metabolism and biology of the cod itself.

Objective: To work out dependable techniques for the use of chromatographic methods in analysis of cod tissues so that stocks of fish can be identified and so that metabolic studies on individual fish can be conducted.

Method of Procedure: Experimentation in conjunction with chemically trained personnel to develop appropriate chromatographic methods and to eliminate variables caused by state of preservation of fish and metabolic condition.

Method of Procedure: (Cont'd)

Phase 3:

Estimated Costs: Total	. Needed by Labor	atory for Complete Projec	t <u>61.0</u>
	FY <u>1959</u>	FY <u>1960</u>	FY 1961
Personal Services Other Expenses:	1.3	1.C	2.0
Within Project			2
Lab. Adm. & Ser.	4.6	2.9	1.8
Lab. Total	6.0	4.0	<u> </u>
Regional Office Washington Office	.06	•04	.04
Total			
Recommended Source of Fu		d Regular (S-K, Regular, Contribute	•
Estimated Date of Comple	tion: Phase 1 FY	Phase 2 FY; Phase 3	FY Project FY
Recommended by: Originator John P	. Wise		8/6/59 <u>Date</u>
Investigation Chief	John P. Wise		8/6/59
Laboratory Director	Herbert W. Graham	1	8/6/59
Regional Director	Joseph G. Ve	menter.	8/19/59
Branch Chief	1) 2/HE		12-24-59
Approved by: Division Chief for Dir	ector All C	H ²	1-2-6

Remarks

Sheet No. 1

Location: Woods Hole, Mass. Date: August 6, 1959 File No.

Distribution of prerecruit cod in the area from Title of Project: Cape Hatteras	Cape Sable to
Investigation Title: Cod Investigation	
Investigation Chief: John P. Wise	
Project Loader: John P. Wise, Fishery Research Biologist,	GS-11 Grade
Assistants: (Title and Grade)	
H. E. Murray, Statistical Clerk, GS-5 Vacant, Fishery Research Biologist, GS-7 Vacant, Student Assistant, GS-4 (as assigned)	

Collaborators:

None

Need for Information: Information is lacking about the distribution of cod from the time they leave the plankton shortly after hatching until they enter the fishery as recruits. This is probably a vitally important period in their life history, possibly the one in which the strength of each successive yearclass is determined. Some assessment of the relative numbers of juvenile fish during this stage would be extremely useful in prediction of the strength of the yearclass to enter the fishery a year or two later.

Objective: To locate the areas and ecological niches inhabited by the cod before they enter the fishery and to attempt to develop methods of quantitative estimates of numbers.

Method of Procedure:

- Phase 1: A search, using mostly small chartered vessels, in areas likely to be occupied by juvenile cod, particularly along the rocky shores north of Boston.
- Phase 2: Development of methods of quantitative sampling of these fish.

Sheet No. 2

File No.:

Method of Precedure: (Cont'd)

Phase 3:

Estimated Costs: Total Needed by Laboratory for Complete Project	55•2
FY <u>1959</u> FY <u>1960</u>	FY <u>1961</u>
Personal Services Other Expenses:	4.0
Within Project	1.0
Lab. Adm. & Ser.	7
Lab. Total	5.7
Regional Office Washington Office	.057
Total	
Recommended Source of Funds S-:K and Regular (S-K, Regular, Contributed, Estimated Date of Completion: Phase 1 FY 61: Phase 2 FY; Phase 3 FY	
Recommended by: Originator John P. Wise	Date 8/6/59
Investigation Chief John P. Wise	8/6/59
Laboratory Director Herbert W. Graham	8/6/59
Regional Director from 4 Viner Yac. Branch Chief 215E.	8/19/59

Remarks